### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

|  | 100 |  |
|--|-----|--|
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  | 214 |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |
|  |     |  |

### Wholesale Trade=List

# SOUTHWI NURSERIES

LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

Goods by express reach New York within five hours after shipment, and the cost of carriage to all points from here is comparatively light. Freight goes through to New York without change.

#### TERMS.

Prices are in American money. Six at dozen rates, 50 at 100 rates, 500 at 1,000 rates. Packing at cost.

One dollar is equal in value to a trifle more than four English shillings, four German marks.

or five francs. All bills will be due upon receipt of goods, unless by special agreements. Unknown parties

should give good references.

Remit by draft on New York, or by Post Office Order on Southwick, Mass. tances by International Post Office Orders on Westfield, Mass.

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as the plants are ripe, mostly from September until December.

Address all communications to

#### EDWARD GILLETT.

SOUTHWICK, MASS., U. S. A.

### CONTENTS. Deciduous Trees and Shrubs, Evergreen Trees and Shrubs,

Vines and Creepers, Herbaceous Perennials, Bog and Aquatic Plants, Orchids, 19 Ferns, Club Mosses, 13 Special Collection of Ferns. 16

· COMMONWEALTH OF MASSACHUSETTS.

#### STATE BOARD OF AGRICULTURE.

OFFICIAL CERTIFICATE No. 3.

TO WHOM IT MAY CONCERN:

BOSTON, Aug 20, 1902.

Page

This is to Certify that I have this 20th day of August, 1902, completed the inspection of the nursery stock of Edward Gillett, grown at Southwick, State of Massachusetts, and find it to be apparently free from the San Jose Scale and other injurious insects and diseases which might be transferred on nursery stock from the nursery to the orchard or garden. This certificate is good until July 1, 1903.

H. T. FERNALD, Inspector.

#### EDWARD GILLETT

Southwick, Mass., U. S. A.

Long Distance Telephone.

### Deciduous Trees and Shrubs.

Nursery Grown Stock, except where noted. Coll. signifies collected plants. S, seedlings, in seed bed.

| ACER Pennsylvanicum (Stripe                |          |         |         | 3-, | 12     | 100      | 1,000 |
|--|----------|---------|---------|-----|--------|----------|-------|
| 1 ft                                       |          |         |         |     | \$ 1 2 | 5        |       |
| 2 to 4 ft. Coll.,                          |          |         |         |     | 7      | 5 \$4 00 | 1     |
| 1 ft                                       | ple)—    |         |         |     |        |          |       |
| 5 to 6 ft.,                                |          |         |         |     | 1 5    | 0        |       |
| 10 to 12 ft.,                              |          |         |         |     | 3 5    | 0        |       |
| spicatum (Mountain Maj                     |          |         |         |     |        |          |       |
| ALTHÆA (Shrubby Hibiscus, o                | r Rose   | of Sha  | ron)—   |     |        |          |       |
| coelestis. Single bl                       | lue,     |         |         |     | 1 0    | 0        |       |
| coelestis. Single bl<br>Jeanne d'Arc. Dou  | ible blu | e,      |         |     | 1 0    | 0        |       |
| rubra plena. Double                        |          |         |         |     |        |          |       |
| 1 ft., .                                   |          |         |         |     | 1 0    | 0        |       |
| totus albus. Sing                          | le, pur  | e whit  | e-flow- |     |        |          |       |
| ered; 1 ft.,.                              |          |         |         |     | 1 0    | 0        |       |
| AMELANCHIER Canadensis (                   | Shadbu   | sh)—    |         |     |        |          |       |
| 2 to 3 ft.                                 | Coll.,   |         |         |     | 1 0    | 0 4 00   | )     |
| $1\frac{1}{2}$ to 2 f                      | t.,      |         |         |     | 1 2    | 5 6 00   | )     |
| 1½ to 2 f<br>ARALIA pentaphylla. 1 to 1½   | 6 ft.,   |         |         |     | 1 5    | 0        |       |
| AZALEA arborescens -                       |          |         |         |     |        |          |       |
| 8 to 12 in.,                               |          |         |         |     | 2 0    | 0 15 00  | )     |
| 1 to 1½ ft.,                               |          |         |         |     |        | )        |       |
| calendulacea (Flame                        |          |         |         |     |        |          |       |
| 8 to 12 in.,                               |          |         |         |     | 1 5    | 0 8 00   | )     |
| $1 \text{ to } 1\frac{1}{2} \text{ ft.},$  |          |         |         |     |        | 0 12 00  | )     |
| mollis. 1 ft.,                             |          |         |         |     | 1 5    | 0 10 00  | )     |
| nudiflora (Purple Az                       | alea)—   |         |         |     |        |          |       |
| 8 to 12 in.,                               |          |         |         |     | 1 2    | 5 6 00   | 1     |
| 1 ft. Coll.,                               |          |         |         |     |        | 0 4 00   | )     |
| 1 ft. Coll., Pontica. 6 in.,               |          |         |         |     | 1 23   | 6 00     |       |
| Vaseyi. Light pink-                        |          |         |         |     |        |          |       |
| 6 to 12 in.,                               |          |         |         |     | 1 2    | 5 7 00   | )     |
| 1 to 1½ ft.; well                          | budded   | Ι,      |         |     |        | 0 12 00  | )     |
| viscosa—                                   |          |         |         |     |        |          |       |
| 1 ft., .                                   |          |         |         |     | 1 2    | 5 6 00   | )*    |
| 1 to 1½ ft.; well                          | budded   | ,       |         |     | 1 5    |          | f i   |
| BERBERIS purpurea (Purple B                | arberry  | ). 8 to | 12 in., |     | 5      | 0 2 00   | )     |
| Thunbergi. 1 to 1                          | l½ ft.,  |         |         |     | 1 0    | 0 5 00   | )     |
| vulgaris—                                  |          |         |         |     |        |          |       |
| 1 ft.,                                     |          |         |         |     | 7      | 5 3 00   | )     |
| $1\frac{1}{2}$ to 2 ft.,                   |          |         |         |     | 1 2    | 5 6 00   |       |
| BETULA papyracea (Paper, or                |          |         |         |     |        |          |       |
| $1\frac{1}{2}$ to 2 ft.,                   |          |         |         |     | 1 2    | 5 6 00   | )     |
| 2 to 3 ft.,                                |          |         |         |     | 1 5    | 0 10 00  | )     |
| 5 to 6 ft.; X,                             |          |         |         |     | 2 5    | 0        |       |
| 5 to 6 ft.; X, lenta (Yellow Birch).       | 2 ft.,   |         |         |     | 1 2    | 5        |       |
| alba populifolia (Ame                      | erican V | Vhite I | Birch)— |     |        |          |       |
| 2 to 3 ft. Coll., CEANOTHUS Americanus (No |          |         |         |     | 1 0    | 0 3 00   | )     |
| CEANOTHUS Americanus (No                   | ew Jerse | ey Tea  | )       |     | 1 0    | 0 5 00   |       |
| CEPHALANTHUS occidentalis                  | s (Butte | on Bus  | h). 2 f | t., | 1 2    | 5 7 00   | )     |
| CHESTNUT, American. 2 to                   | 2½ ft.,  |         |         |     | 1 2    | 5 6 00   | )     |
|  |          |         |         |     |        |          |       |

| CLETHRA alnifolia (Sweet Pepper Bus                              | sh)—     |            |     |          | 12  |     | 100 | 1,000   |
|--|----------|------------|-----|----------|-----|-----|-----|---------|
| 1 ft.,   |          | 1          |     | \$0      | 75  | \$3 | 00  |         |
| 1½ to 2 ft.; X,  |          |            |     | 1        | 25  | -   | 00  |         |
| COMPTONIA asplenifolia (Sweet Fern                               | ). Co    | 11         |     |          | 50  |     | 00  | \$15 00 |
| CORNUS alternifolia. 2 to 4 ft.; good                            |          |            |     | 2        | 00  |     | 00  | н       |
| circinata. 2 to 3 ft. Coll.,                                     |          |            |     |          | 00  |     | 00  |         |
| florida. 1 to 1½ ft., .  |          |            |     |          | 00  |     | 00  |         |
| Mas (Cornelian Cherry). 2 t                                      |          |            |     |          | 25  |     | 00  |         |
| paniculata—  | 0 0 10., | •          |     |          |     | ·   |     |         |
| 1 ft.,   |          |            |     | 1        | 00  | . 5 | 00  |         |
| 1 to 1½ ft.,   |          |            |     |          | 50  |     | 00  |         |
| sericea. 2 ft.,  |          |            |     |          | 25  |     | 00  |         |
| stolonifera—   |          | •          |     | 1        | 20  | 0   | 00  |         |
|  |          |            |     |          |     | 2   | 00  |         |
|  | •        | •          |     | 1        | 00  |     | 00  |         |
| 1 to 2 ft.,  |          | •          |     |          | 25  |     | 00  |         |
| 2 to 3 ft.,  | ٠,       | 4 - 0 - C4 |     | 1        | 20  | . 0 | 00  |         |
| CORYLUS Americanus (Wild Hazelnu                                 |          |            |     |          | 7 F | 4   | 00  |         |
| Coll.,   | •        |            |     |          | 75  | 4   | 00  |         |
| CRATÆGUS coccinea. 1 to 1½ ft.,                                  | •        |            |     | 1        | 00  | ,   | 0.0 |         |
| CYDONIA Japonica. 1 ft.,   |          |            |     |          | 75  | 4   | 00  |         |
| DEUTZIA crenata—   |          |            |     |          |     |     |     |         |
| 2 ft.; bushy; double pin   |          |            |     |          | 25  |     | 00  |         |
| 2 to 3 ft.; bushy; double  |          |            | ٠   |          | 50  |     | 00  |         |
| DIERVILLA trifida (Bush Honeysuckle                              |          |            |     | 1        | 00  | 5   | 00  |         |
| OIRCA palustrus (Leatherwood). 1 ft                              |          | 1.,        |     |          | 75  |     |     |         |
| EUONYMUS Americanus, var. obovat                                 |          |            |     | 1        | 00  | 5   | 00  |         |
| atropurpurea (Burning B  |          |            |     |          |     |     |     |         |
| 1 ft.,   |          |            |     |          | 75  | 3   | 00  |         |
| 1 to $1\frac{1}{2}$ ft.,   |          |            |     | 1        | 50  | 6   | 00  |         |
| radicans. 8 to 12 in.; 2 y                                       | rs.,     |            |     | 1        | 00  | 5   | 00  |         |
| variegata. Golden-st   | riped le | eaves;     |     |          |     |     |     |         |
| 8 in.,   |          |            |     | 1        | 00  | 4   | 00  |         |
| FORSYTHIA viridissima. 3 ft.,                                    |          |            |     | 1        | 25  | 5   | 00  |         |
| GAYLUSSACIA frondosa (Dangleberr                                 |          |            | . , | 1        | 00  | 5   | 00  |         |
| resinosa (Black Huck)  |          |            | ,   |          |     |     |     |         |
| 8 to 12 in., .   |          |            |     | 1        | 25  | 5   | 00  |         |
| HAMAMELIS Virginica (Witch-hazel)                                |          |            | -   | -        |     |     |     |         |
| 1 to 2 ft.,  |          |            |     | 1        | 50  | 8   | 00  |         |
|  |          |            |     |          | 00  |     | 00  |         |
| HYDRANGEA arborescens (Wild Hyd                                  |          |            | •   | 2        | 00  | 12  | 00  |         |
| 2 to 3 ft.,  | rangea   | .)—        |     | 1        | 0=  | 77  | 00  |         |
| 2 to 5 to., .  | •        | •          |     |          | 25  |     | 00  |         |
| radiata 1½ ft., .  | •        | •          |     |          | 00  |     | 00  |         |
| paniculata. 1 to 1½ ft   |          |            |     |          | 00  |     |     |         |
| grandiflora. 1½  | to 2 1   | t.,        |     | 1        | 00  | 5   | 00  |         |
| LEX verticillata—  |          |            |     |          |     |     |     |         |
| 1 to 1½ ft.,   |          |            |     |          | 00  |     | 00  |         |
| $1\frac{1}{2}$ to 2 ft. X,                                       |          |            |     |          | 25  |     | 00  |         |
| 2 to 3 ft. XX,   |          |            |     | <b>2</b> | 00  | 12  | 00  |         |
| UGLANS nigra. (Black Walnut). 2 f<br>AURUS Benzoin (Spice Bush)— | t.; see  | dlings,    | ٠   |          | 50  | 2   | 50  |         |
| 6 to 12 in.,   |          |            |     |          | 75  | 4   | 00  |         |
| 2 to 3 ft.,  |          |            |     | 2        | 00  |     | 00  |         |
| /  |          |            | •   | _        |     | ~   |     |         |

| LIGUSTRUM ovalifolium (California Privet)—   |     | 12   | 100   | 1,00     |
|--|-----|------|-------|----------|
| $1 \text{ to } 1\frac{1}{2} \text{ ft.}, \qquad . \qquad .$                        | \$0 | 50   | \$2 0 | )        |
| 2 ft.,   |     | 75   | 3 0   | )        |
| vulgare (Common Privet). 1½ to 2 ft.,  |     | 75   | 3 0   | )        |
| LIRIODENDRON tulipifera (Tulip-tree). 4 to 5 It.,                                  | 1   | 50   |       |          |
| LONICERA ciliata (Fly Honeysuckle). 1 ft., .                                       | 1   | 25   |       |          |
| TYRICA cerifera (Bayberry)—  |     |      |       |          |
| Seedlings,   |     |      | 2 0   | 12 0     |
| 8 to 12 in.; trans.,   | 1   | 25   | 5 0   | )        |
| gale (Sweet Gale). 1 to 2 ft.; X,  | 1   | 50   | 7 0   | )        |
| NEMOPANTHES Canadensis (Mountain Holly)—   |     |      |       |          |
| 1 to $1\frac{1}{2}$ ft. Coll.,   | 1   | 00   | 4 0   | 0        |
| 8 to 12 in.; cut back,   | 1   | 25   | 5 0   | 0        |
| PHILADELPHUS coronarius (Mock Orange)—   |     |      |       |          |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.},$  | 1   | 25   | 5 0   | 0        |
| grandiflorus. 2 to 2½ ft.,   | 1   | 25   | 5 0   |          |
| POTENTILLA fruticosa. 1½ to 2 ft.,   | 1   | 00   |       |          |
| PRUNUS pumila (Dwarf Cherry). 1 to 2 ft. Coll., .                                  | . 1 | 00   |       |          |
| maritima (Beech Plum). 1 to 1½ ft.,  | 1   | 00   |       |          |
| DVDIIS arbutifolius 1 to 11/ ft · V  |     | 25   | 5 0   | 0        |
| malus floribunda. 4 ft.,   |     | 50   | 0 0   | 0        |
| QUERCUS alba (White Oak). 2 to 3 ft.; trans.,                                      |     | 50   |       |          |
| bicolor (Swamp White Oak). 4 ft.; trans.,  |     | 50   |       |          |
| coccinea (Scarlet Oak). 3 to 4 ft.; trans.,  |     | 50   |       |          |
| ilicifolia (Black Scrub Oak). 2 ft.; trans.,                                       |     | 50   |       |          |
|  |     | 50   |       |          |
| nigra (Black Jack). 1½ ft.; trans.,<br>palustris (Pin Oak). 6 to 10 in.; seedling, |     | 40   | 2 0   | 0 15 (   |
| prinus (Chestnut Oak). 4 to 6 ft.,   |     |      | 2 0   | 0 15 (   |
|  |     | 50   |       |          |
| rubra (Red Oak). 4 to 6 ft.; trans.,   |     | 50   |       | ^        |
| RHAMNUS alnifolius. 1 to 2 ft. Coll.,  |     | 00   | 4 0   |          |
| RHODORA Canadensis. 1 ft.; XX,   | 1   | 25   | 5 0   | 0        |
| RHUS aromatica (Fragrant Sumach)—  |     |      | 0.0   |          |
| 8 in.; seedlings,  |     | 75   | 3 0   |          |
|  | 1   | 25   | 5 0   | 0        |
| cotinus. 2 ft.,  |     | 25   |       |          |
| copallina (Dwarf Sumach). 1 ft. Coll.,   | 1   | 00   | 3 0   | 0 . 15 ( |
| glabra (Smooth Sumach)—  |     |      |       |          |
| 2 to 4 ft. Coll.,  |     | . 00 | 3 0   |          |
| 2 to 3 ft.; trans.,  | 1   | 50   | 6 (   | 0        |
| typhina (Staghorn Sumach)—   |     |      |       |          |
| Coll.,   |     | 00   |       |          |
| 3 to 4 ft.,  |     | 50   |       |          |
| RIBES cynosbati (Wild Gooseberry). 2 ft.; fine,                                    |     |      | 5 (   | 0        |
| aureum. 2 ft.,   | . 1 | 00   |       |          |
| floridum (Wild Black Currant). 2 to 3 ft.,   |     | 25   | 5 (   |          |
| prostratum (Fetid Currant). 1 ft. Coll.,   | ]   | 00   | 3 (   | 00       |
| ROSA blanda (Early Wild Rose). 1 to 2 ft.,   | ]   | 25   | 5 (   | 00       |
| Carolina (Swamp Rose). 2 ft.; fine. Coll.,   | ]   | 00   | 3 (   | 00 25    |
| lucida (Dwarf Wild Rose). 1 ft.,   | ]   | 25   | 5 (   | 00       |
| multiflora. 2 to 3 ft.,  | ]   | 25   | 5 (   | 00       |
| rugosa. 1 to $1\frac{1}{2}$ ft.,   | 1   | 25   | 5 (   | 00       |
| alba. 1 ft.,   |     | 00   | 5 (   | 00       |
| Crimson Rambler. Fine plants; 2 yrs.,  |     | 1 50 |       |          |

| ROSA Yellow Rambler (Aglaia). Double yellow,        | \$1 | $\frac{12}{25}$ | 1   | .00 | 1,000 |
|---|-----|-----------------|-----|-----|-------|
| rubiginosa (English Sweetbrier). 1½ to 2 ft., .     |     | 00              | \$4 | 00  |       |
| setigera (Prairie Rose). 2 to 3 ft.,                | 1   | 25              | 5   | 00  |       |
| Wichuraiana (New Hardy Creeping Rose). 1 ft.,       | 1   | 25              | 5   | 00  |       |
| RUBUS odoratus (Flowering Raspberry). 2 to 3 ft., . | 1   | 25              | 5   | 00  |       |
| deliciosus. 1 to 2 ft.; pure white flowers. Coll.,  | 1   | 00              | 4   | 00  |       |
| occidentalis (Black Raspberry). Coll.,              |     | 75              | 3   | 00  |       |
| strigosus (Red Raspberry). 2 to 3 ft. Coll.,        |     | 75              | 3   | 00  |       |
| villosus (High Blackberry). 2 to 3 ft. Coll.,       | 1   | 00              |     |     |       |
| SAMBUCUS Canadensis (Common Elder). 3 to 4 ft.,     | 1   | 50              | 6   | 00  |       |
| pubens (Red-berried Elder). 2 to 3 ft.,             | 1   | 25              | 5   | 00  |       |
| SPIRÆA Anthony Waterer. 8 in.,                      |     | 25              |     |     |       |
| argentea. 2 ft.; bushy,                             | 1   | 25              | 5   | 00  |       |
| opulifolia. 3 ft.,                                  | 1   | 25              | 5   | 00  |       |
| salicifolia. Flesh-colored; 2 to 3 ft.,             | 1   | . 00            | 4   | 00  |       |
|   |     | 00              |     |     |       |
| Thunbergii. 1 ft.,                                  | 1   | . 00            | 4   | 00  |       |
| aurea. 1 to 2 ft.,                                  | 1   | 25              | 5   | 00  |       |
| Van Houttei. 1 ft.,                                 | 1   | . 00            | 4   | 00  |       |
| STAPHYLEA trifolia (Bladder Nut). 1 to 2 ft.,       |     | 75              |     |     |       |
| SYMPHORICARPUS racemosus, var. pauciflorus          |     |                 |     |     |       |
| (Dwarf Snowberry), .                                | 1   | 00              | 4   | 00  |       |
| vulgaris (Indian Currant)—                          |     |                 |     |     |       |
| $1\frac{1}{2}$ to 2 ft.,                            | 1   | 00              | 5   | 00  |       |
| SYRINGA Japonica, 1 ft.,                            | 1   | 00              |     |     |       |
| vulgaris. 1½ ft.,                                   | 1   | 00              |     |     |       |
| <b>alba.</b> 1 ft.,                                 |     | 75              |     |     |       |
| alba. 1 ft.,  | ]   | 00              |     |     |       |
| VACCINIUM Pennsylvanicum (Dwarf Blueberry)—         |     |                 |     |     |       |
| X. Coll.,   | ]   | 00              | 4   | 00  |       |
| vacillans (Low Blueberry). Yellow bark,             | 1   | 25              | 5   | 00  |       |
| corymbosum (Swamp Blueberry)—                       |     |                 |     |     |       |
| 1 ft.,  | 1   | 25              | 5   | 00  |       |
| 1 to $1\frac{1}{2}$ ft., X; bushy,                  | 2   | 2 50            |     |     |       |
| $1\frac{1}{2}$ to 2 ft, XX,                         | ā   | 00              |     |     |       |
| 2 to 3 ft., XXX, 75c each                           |     |                 |     |     |       |
| The last three grades are fine bushy                |     |                 |     |     |       |
| clumps, all in nursery rows.                        |     |                 |     |     |       |
| VIBURNUM acerifolium (Maple-leaved Viburnum).1ft.,  | 1   | 25              | 5   | 00  |       |
| cassinoides—  |     |                 |     |     |       |
| 1 ft.; X.,  | ]   | 25              | 5   | 00  |       |
| 1 to 1½ ft.,  | , 1 | 50              | 7   | 00  |       |
| dentatum—   |     |                 |     |     |       |
| 1 ft ,  | ]   | 00              | 5   | 00  |       |
| 2 ft.,  | 1   | 50              | 7   | 00  |       |
| 2 to 3 ft.; bushy,                                  | 2   | 00              |     |     |       |
| lantana (Wayfaring Tree). 1 to 2 ft., .             | 1   | 00              | 5   | 00  |       |
| lantanoides (Hobble Bush). 1 to 3 ft. Coll.         | ]   | 1 00            | 4   | 00  |       |
| Lentago (Sheepberry)—                               |     |                 |     |     |       |
| 1 to $1\frac{1}{2}$ ft.,                            | 1   | 25              | 6   | 00  |       |
| 2 to 3 ft.; XX,                                     |     | 2 00            |     | 00  |       |
| Opulus (Cranberry Tree). 3 ft., .                   |     | 1 50            |     |     |       |
|   |     |                 |     |     |       |

| VIDIDNIM nubeccens (Downy Amory greed) 144   | 12           | 100          | 1,000   |
|--|--------------|--------------|---------|
| VIBURNUM pubescens (Downy Arrow-wood). 1 ft., prunifolium. 1 to 2 ft. Coll.,   |              | \$5 00       |         |
| prunifolium. 1 to 2 ft. Coll., VITIS cordifolia (Frost Grape). 1 to 1½ ft.,  | 1 00<br>1 00 | 4 00         |         |
| estavilis. 2 yrs. in seed bed,   | 75           | 4 00<br>3 00 |         |
| Labruska. 2 yrs. in seed bed,  |              | 3 00         |         |
| Labrasia 2 yrs. in seed sed,   | 10           | 5 00         |         |
| Evergreen Trees and  | Shru         | ubs.         |         |
| DIEGE STATE OF THE | 12           | 100          | 1,000   |
| ABIES Englemanni, 2 ft.; extra fine color,   | "            |              |         |
| Canadensis (Hemlock). 1 ft.,   |              | 00.00        |         |
| nigra (Black Spruce). 1 to 2 ft. Coll.,  | 75<br>50     | \$3 00       | #10 O   |
| ANDROMEDA polyfolia. 1 ft.; wet places. Coll.,   | 50           | 2 00         | \$12 00 |
| CASSANDRA calyculata (Leather Leaf)—   | ~0           | 9 00         | 10.0    |
| 1 to 2 ft. Coll.,  | 50<br>1 00   | 2 00         | 12 00   |
| Virginiana (Red Cedar). 1 ft. Coll.,   | 1 00         |              |         |
| (ALMIA angustifolia (Sheep Laurel). 1 ft. Coll., .   | 75           | 3 00         | 15 0    |
| glauca (Pale Laurel). 1 ft.,   | 1 00         | 5 00         | 15 0    |
| LEDUM latifolium (Labrador Tea). 8 to 12 in.,  | 1 25         | 5 00         |         |
| LEUCOTHOË Catesbæi. 1 ft.,   |              | 5 00         |         |
| TAHONIA aquifolia. 8 to 12 in.,  |              | 5 00         |         |
| PICEA pungens (Col. Blue Spruce). 6 to 8 in.,  |              | 0 00         |         |
| PINUS strobus (White Pine). 8 to 12 in.,   |              | 5 00         |         |
| RETINOSPORA ericoides. 1 ft.,  | 2 00         | 0 00         |         |
| plumosa—   | _ 00         |              |         |
| 1 ft.,   | 1 25         |              |         |
| 2 ft.,   |              |              |         |
| aurea—   |              |              |         |
| 1 ft.,   | 1 25         |              |         |
| 2 ft.,   | 2 50         |              |         |
| RHODODENDRON maximum (Great Laurel)—   |              |              |         |
| 9 to 12 in.,   | 1 25         |              |         |
| 9 to 12 in.,   | 2 50         |              |         |
| $1\frac{1}{2}$ to 2 ft.,   | 4 00         |              |         |
| 2 to 3 ft  | 6 00         |              |         |
| 3 to 4 ft.,  |              |              |         |
| punctatum. 1 ft.,  | 1 25         |              |         |
| My Rhododendron maximum is of  |              |              |         |
| fine grade, with a mass of fibrous   | 3            |              |         |
| ${f roots}.$   |              |              |         |
| TAXUS Canadensis (American Yew)—   |              |              |         |
| 8 to 12 in.,   | 1 00         | 5 00         |         |
| 1 to 2 ft. Coll.,  | 75           | 3 00         | 15 0    |
| THUYA occidentalis (Arborvitæ)). 8 to 12 in.,  | 1 00         |              |         |
| Ellwangeriana. 1 to 1½ ft.; strong,  | 2 50         |              |         |
| Vines and Creepe   | NC           |              |         |
| villes and Oreepe  |              |              |         |
| A MARIA ORGINA AND AND AND AND AND AND AND AND AND A   | 12           | 100          | 1,000   |
| AMPELOPSIS quinquefolia (Virginia Creeper)—  | <b>#1 00</b> | <b>#1</b> 00 |         |
| 1 to 2 ft. Coll  | \$1 00       | \$4 00       |         |
| BIGNONIA radicans (Trumpet Creeper),   | 1 00         | 5 00         |         |

|   | 12     | 100    | 1,000   |
|---|--------|--------|---------|
| CELASTRUS scandens (Bittersweet). 1 to 2 ft. Coll.  | \$0.75 | \$4 00 | \$15 00 |
| CLEMATIS coccinea (Scarlet Clematis). Fine, strong, | 1 25   | 6 00   |         |
| crispa. Strong, bluish purple flowers,              | 1 25   | 6 00   |         |
| paniculata—   |        |        |         |
| Pure white flowers; strong plants,                  | 1 25   |        |         |
| Virginiana (Virgin's Bower)—                        |        |        |         |
| Strong. Coll.,                                      | 1 00   | 4 00   |         |
| LONICERA brachypoda. 2 ft.; strong,                 | 1 00   | 5 00   |         |
| aurea. 1 ft.,                                       | 1 00   |        |         |
| MENISPERMUM Canadense (Canadian Moonseed)—          |        |        |         |
| Coll.,  | 1 00   | 4 00   |         |
| RUBUS hispidus (Running Swamp Blackberry). Coll     | 50     | 2 00   | 10 00   |
| Canadensis (Low Blackberry). Fine fruit. Coll       | 75     | 3 00   |         |
|   |        |        |         |

#### Herbaceous Perennials.

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

1 yr., means transplanted and grown in nursery one year. Coll, collected.

|  | 12     | 100    | 1,000 |
|--|--------|--------|-------|
| ACHILLEA millefolium roseum,                       | \$0.75 | \$4 00 |       |
| The Pearl. Pure white,                             | 75     | 4 00   |       |
| ACTÆA alba (White Baneberry). Coll.,               | 75     | 4 00   |       |
| rubra (Red Baneberry). Nice plants. Coll., .       | 75     | 4 00   |       |
| ALYSSUM saxatile compactum—                        |        |        |       |
| 1 yr.,   | 50     | 3 00   |       |
| 2 yrs.,  | 1 00   |        |       |
| AMARYLLIS formosissima (Jacobæan Lily). Fire red,  | 1 00   | 4 00   |       |
| ANEMONE nemorosa. Flowers white. Coll.,            | 50     | 3 00   | 15 00 |
| Pennsylvanica. Large white flowers,                | 50     | 3 00   |       |
| pulsatilla. 2 yrs.; large blue flowers,            | 1 00   |        |       |
| Japonica, "Whirlwind"-                             |        |        |       |
| Double white; 1 yr.,                               | 1 25   | 5 00   |       |
| ANTHEMIS tinctoria (Golden Marguerite)—            |        |        |       |
| 1 yr.,   | 75     | 4 00   |       |
| 2 yrs.,  | 1 00   |        |       |
| APIOS tuberosa (Wild Bean). Purple flowers. Coil., | 25     | 1 00   | 8 00  |
| AQUILEGIA alpina. 1 to 2 ft.; flowers blue, 1 yr., | 1 00   | 4 00   |       |
| cœrulea. 1 yr.,                                    | 1 00   | 4 00   |       |
| chrysantha. Large yellow. 1 yr.,                   | 1 00   | 4 00   |       |
| vulgaris—  |        |        |       |
| 1 yr.,   | 1 00   | 4 00   |       |
| 2 yrs.,  | 1 50   |        |       |
| Canadensis. Red and yellow,                        | 1 00   | 4 00   |       |
| Skinneri. 1 yr.,                                   | 1 00   |        |       |
| ARABIS albida. 1 yr. White,                        | 1 00   | 4 00   |       |
| ARISÆMA triphyllum (Wild Turnip),                  | 50     | 3 00   |       |
| ASARUM Canadensis (Wild Ginger). Purple flowers,   | 50     | 3 00   | 15 00 |
| ASCLEPIAS incarnata. Flowers purple, showy. Coll., | 50     | 3 00   |       |
| tuberosa. 1 yr.,                                   | 50     | 3 00   |       |
|  |        |        |       |

| ASTER ericoides. Flowers white, on wand-like stems.     | 12             | 100    | 1,00             |
|---|----------------|--------|------------------|
|   | 00 50          | 01.00  | <b>***</b> ** ** |
| Coll.,  | \$0 75         | \$4 00 | \$15 0           |
| multiflorus. Small white flowers; fine. Coll.,          | 75<br>75       | 4 00   |                  |
| Novæ Angliæ (N. E. Aster). Large purple                 | 75             | 4 00   | 15 0             |
|   | ~~             | 4 00   |                  |
| flowers,  | 75             | 4 00   |                  |
| rosea. 1 yr., patens. Flowers deep purple; low-growing. | 1 00           | 5 00   |                  |
| Coll.,  | ~~             | 4 00   |                  |
| CALLIRRHOE involucrata. Flowers large, crimson.         | 75             | 4 00   |                  |
|   |                | 4 00   |                  |
| fine,   | 75             | 4 00   |                  |
| CAMPANIII A Carpatica 1 vv                              | 1 50           | 4 00   |                  |
| CAMPANULA Carpatica. 1 yr.,                             | 1 00           | 4 00   |                  |
| elegans—  | 1 00           | 4 00   |                  |
| 2 ft.; 1 yr. Deep 'lue,                                 | 1 00           | 4 00   |                  |
|   | 1 00           | 4 00   |                  |
| 2 yrs.,   | $\frac{1}{75}$ | 3 00   |                  |
| pyramidalis. 1 yr.,                                     |                | 5 00   |                  |
| rotundifolia (Harebell). Strong,                        |                | 5 00   |                  |
| CASSIA Marilandica (American Senna) 3 ft., yellow, X,   | 1 00           | 4 00   |                  |
| CAULOPHYLLUM thalictroides (Blue Cohosh),               | 75             | 4 00   |                  |
| CHELONE glabra (Snake-Head). White flowers. Coll.       | 75<br>75       | 4 00   |                  |
| CHRYSANTHEMUM maximum. 1 yr.,                           | 75<br>75       | 4 00   |                  |
| CIMICIFUGA racemosa (Black Snake-root). White           | 7.5            | 4 00   |                  |
| flowers   | 75             | 4 00   |                  |
| CLAYTONIA Virginica (Spring Beauty),                    | 50             | 3 00   |                  |
| CONVALLARIA majalis (Lily of the Valley),               | 1 00           | 4 00   |                  |
| majalis. Large fine clumps                              | 2 50           | 10 00  |                  |
| COPTIS trifolia (Goldthread). Small white flowers,      | 75             | 3 00   |                  |
| COREOPSIS lanceolata. 1 yr.,                            | 75             | 3 00   |                  |
| CORNUS Canadensis (Dwarf Cornel). Fine clumps.          | 10             | 00     |                  |
| Coll.,  | 1 25           | 5 00   |                  |
| DELPHINIUM grandiflorum (Larkspur). Low grow-           | 1 20           | 0 00   |                  |
| ing, very beautiful. 2 yrs.,                            | 1 00           | 4 00   |                  |
| grandiflorum. Very large flowers,                       | 1 00           | 4 00   |                  |
| formosum. Tall, 4 to 6 ft.,                             | 1 00           | 5 00   |                  |
| DENTARIA diphylla (Pepper Root),                        | 0 50           | 3 00   |                  |
| laciniata. Flowers pale purple,                         | 0 50<br>75     |        |                  |
| iaciniata. Flowers pale purple,                         | 6.1            | 4 00   |                  |

"MIELLEZ'S REVELATION" IN LILY OF THE VALLEY.

It is of extraordinary size and vigor, of the most exquisite fragrance, and does well under all conditions and in all sorts of soils, growing just as well in full sun as partial shade. It is extremely hardy, and while not increasing quite as fast as the common kinds, is still of good increase. It is well to cover it in December with a good coat of barnyard manure—cow or well to cover it in December with a good coat of barnyard manure—cow or horse—green is just as good as old. Leave it in the spring to serve as mulch. The Massachusetts Horticultural Society awarded it a "First-Class Certificate of Merit" on May 22, 1897. \$1 per dozen, \$5 per 100.

| Distriction   | 12   | 100          | 1,000  |
|---|------|--------------|--------|
| DIANTHUS barbatus (Sweet William). 1 yr., .             |      | \$4 00       |        |
| Napoleon III. Bright crimson; 1 yr.,                    | 75   | 4 00         |        |
| plumarius. 1 yr.,                                       | 75   | 4 00         |        |
| Double Pink. Fine; 1 yr.,                               | 75   |              |        |
| Single Pink. 1 yr.,                                     | 75   |              |        |
| Her Majesty. 1 yr.,                                     | 75   | 4 00         |        |
| Mrs. Simkins. 1 yr.,                                    | 75   | 4 00         |        |
| DICENTRA eximia. Beautiful flowers; large; 1 yr.; X,    | 1 00 | 5 00         |        |
| DIGITALIS purpurea (Foxglove). 1 yr.,                   | 75   | 4 00         |        |
| gloxonoides. 1 yr.,                                     | 1 00 | 4 00         |        |
| DODECATHEON Meadia (Shooting Star). Fine plants.        | 1 00 | <b>5 0</b> 0 |        |
| ECHINACEA purpurea (Purple Cone Flower). 2 yrs,         | 1 25 |              |        |
| EPIGÆA repens (Trailing Arbutus). Fine plants. Coll.,   | 1 00 | 5 00         |        |
| ERYNGIUM yuccifolium (Button Snakeroot). 2 ft., .       | 1 00 | 5 00         |        |
| ERYTHRONIUM Americanum (Dog's Tooth Violet)—            |      |              |        |
| Bright yellow flowers; large bulbs.                     |      |              |        |
| Coll.,  | 75   | 4 00         |        |
| EUPATORIUM ageratoides (White Snakeroot). Coll.,        | 75   | 3 00         | 815 00 |
| EUPHORBIA corollata (Flowering Spurge). Fine; white,    | 50   | 3 00         | 15 00  |
| GAILLARDIA grandiflora. 1 yr.,                          | 75   | 3 00         |        |
| Loeseli. 1 yr.,   | 75   | 3 00         |        |
| IALAX aphylla. Evergreen; tinted leaves; white flowers, | 1 00 | 5 00         |        |
| GAULTHERIA procumbens (Wintergreen)—                    |      |              |        |
| Clumps. Coll.,  | 1 00 | 4 00         |        |
| GENTIANA Andrewsii (Closed Gentian). Dark blue,         | 1 00 | 4 00         |        |
| liniaris, beautiful blue,                               | 75   | 4 00         |        |
| verticillata. 1 ft.; dry soils,                         | 1 00 |              |        |
| GERANIUM maculatum (Crane's-bill). Coll.,               | 50   | 3 00         |        |
| GIRARDIA hybrida. 1 yr.,                                | 1 00 |              |        |
| TYPSOPHILA paniculata. 1 yr.,                           | 75   | 3 00         |        |
| HEPATICA triloba. Round-leaved; flowers early. Coll.,   | 75   | 3 00         |        |
| alba. White   | 1 25 |              |        |
| <b>TELENIUM autumnale.</b> 1 yr.,                       | 75   |              |        |
| HEMEROCALLIS flava. Clumps,                             | 1 50 | 8 00         |        |
| HEUCHERA sanguinea—                                     |      |              |        |
| Fire-red; large; 1 yr.,                                 | 1 25 | 5 00         |        |
|   | 1 50 | 8 00         |        |
| 2 yrs.,   | 1 00 | 0 00         |        |
| Flowers large, rose-colored; 2 vrs.,                    | 75   | 4 00         |        |
| Crimson Eye—  | 10   | 4 00         |        |
| Flowers pure white, crimson eye. 1 yr.,                 | 75   | 4 00         |        |
| HOLLYHOCKS, Double. Pink, yellow, salmon, white,        | 10   | 4 00         |        |
|   | 1 00 | 4 00         |        |
| , - ,   |      |              |        |
| Single. Mixed,  | 1 00 | 4 00         |        |
| HOUSTONIA cœru'ea (Bluets)—                             | 0=   | 0.00         | 10.00  |
| White and purple; tufts. Coll., .                       | 25   | 2 00         | 10 00  |
| purpurea. Waxy white flowers; clumps,                   | 75   | 4 00         |        |
| HYACINTHUS candicans. Large bulbs,                      | 75   | 4 00         |        |
| HYDRASTIS Canadensis (Orange Root). Rare,               | 75   | 4 00         |        |
| BERIS sempervirens. 1 yr.,                              | 1 00 | 4 00         |        |
| IRIS cristata. Light blue flowers; 6 in.; XX, .         | 1 00 | 5 00         |        |
| pumila (Dwarf Iris)—                                    |      |              |        |
| Purple flowers; early; 3 to 6 in.; 2 yrs.,              | 1 00 | 4 00         |        |
|   |      |              |        |

| IDIG II  |      |     | 12       | 10  | 0   | 1,000   |
|--|------|-----|----------|-----|-----|---------|
| IRIS alba. 2 yrs,  |      | \$1 | 00       | \$4 | 00  |         |
| azurea. Blue; 2 yrs., sulphurea. 2 yrs.,   |      | 1   | 00       | 4   | 00  |         |
| sulphurea. 2 yrs.,   |      | 1   | 00       | 4   | 00  |         |
| Siberica. Dark blue or white; 1 to 3 ft.; clumps   | 3,   | 1   | 00       | 4   | 00  |         |
| verna. Crested yellow; low-growing, .  |      | 1   | 00       | 4   | 00  |         |
| versicolor. Large blue flowers; 1 to 2 ft. Coll  | ,    |     | 50       | 3   | 00  | \$15 00 |
| Virginica. Slender; flowers blue and white. 1 f  | t.,  |     | 50       | 3   | 00  |         |
| Germanica (German Iris). In mixed colors; clump  | os,  |     | 40       | 1   | 50  |         |
| Kæmpferi (Japan Iris). Mixed colors; clumps,   |      | 1   | 25       | 5   | 00  |         |
| LATHYRUS latifolius. 3 yrs.,   |      | 1   | 50       |     |     |         |
| LIATRIS graminifolia. Coll.,   |      |     | 75       | 4   | 00  |         |
| pycnostachya (Kansas Gay Feather), Fine  | ٠,   | 1   | 00       | 4   | 00  |         |
| scariosa (Button Snakeroot). 2 to 5 ft.,   |      | 1   | 00       | 4   | 00  |         |
| spicata (Spiked Blazing Star), .   |      | 1   | 00       | 4   | 00  |         |
| LILIUM auratum. Home-grown,  |      | 1   | 25       | 5   | 00  |         |
| chalcedonicum. Scarlet,  |      | 3   | 00       |     |     |         |
| Brownii,   |      | 3   | 00       |     |     |         |
| elegans,   |      |     |          | 5   | 00  |         |
| Canadense. Nice bulbs,   |      |     | 75       | 4   | 00  |         |
| Brownii,   |      | 1   | 00       | 5   | 00  |         |
|  |      | 1   | 00       | 5   | 00  |         |
| Humboldtii. 3 to 6 ft. Reddish orange flow   | ers, | 2   | 00       | 12  | 00  |         |
| Martagon,  |      | 1   | 25       | 5   | 00  |         |
| Pomponium rubrum,  |      | 2   | 00       |     |     |         |
| word and the state of the state |      |     | 75       | 4   | 00  |         |
| superbum. Tall, 4 to 8 ft. Many flowers,   |      | 1   | 00       | 4   | 00  |         |
| tenuifolium. Fine bulbs,   |      | 1   | 50       | 7   |     |         |
| OBELIA cardinalis (Cardinal Flower). Flowers red. Co   |      |     | 75       |     |     | 10 00   |
| syphilitica (Great Blue Lobelia). Fine plan  |      |     | 75       | 3   |     |         |
| LUPINUS perennis (Wild Lupine). Coll., .   |      |     | 50       | 3 ( |     | 15 00   |
| YCHNIS Haageana. Scarlet. 2 yrs., .  |      |     | 00       | 5   |     |         |
| chalcedonica. 2 yrs.,  |      |     | 00       | 4   |     |         |
| viscaria splendens (Ragged Robin). 2 yrs   |      |     | 00       | 4 ( |     |         |
| YTHRUM roseum superbum. 1 yr., fine,   |      |     | 00       | 4 ( |     |         |
| LYSIMACHIA nummularia (Creeping Jenny). Coll.,   |      | •   | 25       | 2 ( |     | 8 00    |
| MERTENSIA Virginica (Virginia Cowslip). Establish  |      | 1   | 00       | 5 ( |     | 0 00    |
| MITCHELLA repens (Partridge Berry). Clumps. Col  |      |     | 00       | 4 ( |     | 25 00   |
| WITELLA diphylla (Bishop's Cap). Nice for rockery  |      | 1   | 50       | 3 ( |     | 20 00   |
| MONARDA didyma. Bright red flowers, .  |      | 1   | 00       | 4 ( |     |         |
| MYOSOTIS palustris (Forget-Me-Not). Flowering pla  |      | T   | 50       | 3 ( |     |         |
| NARCISSUS Poeticus (Poet's Narcissus). Fine bulb   |      |     | 50       | 3 ( |     | 10 00   |
|  |      |     | 50       |     |     | 10 00   |
|  |      |     | 50<br>50 | 3 ( |     |         |
| violacea. Flowers pink; fine dark foliage,   |      |     | 50<br>50 | 3 ( |     | 15 00   |
| PARNASSIA Caroliniana. Large white flowers. Coll   |      |     |          | 3 ( |     | 15 00   |
| PENTSTIMON glabra. 1 yr.,  |      | Ţ   | 00       | 4 ( | )() |         |

### PANSY PLANTS

20 ets. per doz., \$1.00 per 100, \$7.00 per 1,000

Transplanted and grown in open ground in nursery rows. Extra fine strain in mixed colors.

|  |    | Α.  |            |     | 11      |
|--|----|-----|------------|-----|---------|
|  |    | 12  | 10         | 0   | 1,000   |
| PHLOX reptans. Red, divaricata. Blue, subulata (Moss Pink), alba. Pure white, PHLOX HYBRID (dicussata). Mixed, 1 yr., 2 yrs., PODOPHYLLUM peltatum (Mandrake), POLYGALA paucifolia (Fringed Polygala). Coll.clumps, PYPETHDLIM ultisinosum (Great (Newsy Paign)) | 81 | 00  | 84         | 00  |         |
| divaricata. Blue,  | 1  | 00  | 4          | 00  |         |
| subulata (Moss Pink),  |    | 75  | 4          | 00  |         |
| alba. Pure white,  |    | 75  | 4          |     |         |
| PHLOX HYBRID (dicussata). Mixed, 1 yr.,  |    | 75  | 3          |     |         |
| PODODHNI I IIM politatura (M. ) 2 yrs.,  | 1  | 25  | 5          | 00  |         |
| POLYGALA reveite (Mandrake),   |    | 75  |            |     |         |
| DVDETHOLIN Aliginary (Grant () Polygala). Coll.clumps,   | 1  | 00  |            |     |         |
| PYRETHRUM uliginosum (Great Ox-eye Daisy)—   |    |     |            |     |         |
| AA; o yrs.,  | I  | 25  | 5          | 00  |         |
| DDIMIU A sisis Missel Law V  | 1  | 00  |            |     |         |
| PRIMULA VIFIS. MIXEU; I YI.; X,  | 1  | 25  | 5          |     |         |
| DHEUM Collinionum 1 m  | 1  | 25  | 5          |     |         |
| PHEVIA Vincinica (Mosdow Poonty)   | 1  | 00  | 4          |     |         |
| DIDDECKIA lanceoleta (Coldon Clory)  |    | (1) | 3          |     |         |
| SANGUNADIA Consideración (Plant Book). Chimps,   | 1  | 00  | 4 (        |     |         |
| SANUUINAKIA Canauensis (blood Root), Coll.,  |    | 50  | 3 (        |     |         |
| SHODTIA cologifolia XX   |    |     | 3 (        |     |         |
| CH CME Vincinia (Eine Dink) VV   | 1  | 50  | 7          |     |         |
| SADONADIA ocumoidea lur  | 1  | 00  | ă I        |     |         |
| SEDUM acre. Yellow flowers, SHORTIA galacifolia. XX, SILENE Virginica (Fire Pink). XX, SAPONARIA ocymoidea. 1 yr, SOLIDAGO odora (Sweet Goldenrod). Very desirable   |    | 75  | 3          | UU  |         |
| for open places, especially near the sea,  | ,  |     |            | 0.0 |         |
| CDID /C A labeta 2 to 1 ft - alumny  | 1  |     | 5          | 00  |         |
| SPIRÆA lobata. 3 to 4 ft.; clumps,   | 1  | 50  |            |     |         |
| STREPTOPOS TOSCUS (TWISTER STAIK)—   |    | 00  |            | •   |         |
| Small rose flowers,  | 1  | 00  | 4 (        | UU  |         |
| 9 in.; white,  |    |     | 0          | 00  |         |
| dioicum. 1 to 2 ft.; purple flowers;   |    | 75  | 3 (        | UU  |         |
| desirable,   |    | 75  | 4          | 0.0 |         |
| cornuti (Tall Meadow Rue)—   |    | 19  | 4 (        | UU  |         |
| 4 to 8 ft.; white flowers,   |    | 75  | 4 (        | 0.0 |         |
| TIARELLA cordifolia. 6 in.; small white flowers,   |    | 50  | 3 (        |     |         |
| TRADESCANTIA Virginica (Spiderwort). Flowers blue,   |    | 75  | 4 (        |     |         |
| TRILLIUM cernuum. Nodding white flowers; 1 ft.,  |    | 75  | 4 (        |     |         |
| grandiflorum. Pure white, flowering bulbs,   |    | 50  | 2          | -   | 619.00  |
| erectum. Dark purple flowers; fine bulbs.  |    | 75  | 3 (        |     | \$12 00 |
| var. album. Greenish white flowers, .  | 1  | 00  | 4 (        |     |         |
| nivale. 4 to 12 in.; early; small white flowers,   |    | 00  | 4 (        |     |         |
| recurvatum. Leaves spotted; purple flowers,  |    | 00  | 4 (        |     |         |
| sessile. Flowers dark purple; desirable,   |    | 00  | 4 (        |     |         |
| var. Californicum. Large white flowers,  |    | 25  | 5 (        |     |         |
| erythrocarpum (Painted Trillium). Coll.,   |    | 00  | 4 (        |     |         |
| TROLLIUS laxus (Globe Flower). Large yellow flowers,   |    | 00  | <b>x</b> ( | 50  |         |
| UVULARIA grandiflora (Large Bellwort). Yellow flowers  |    | 50  | 3 (        | 00  | 15 00   |
| perfoliata. Smaller than the last,   |    | 50  | 3 (        |     | 15 00   |
| sessilifolia. Sessile leaves; pretty,  |    | 50  | 3 (        |     | 15 00   |
| VANCOUVERIA hexandra. Wheel-shaped white flow-   |    |     | 0 (        |     | 10 00   |
| ers; 1 ft.; a very desirable bed-  |    |     |            |     |         |
| ding plant,  | 1  | 25  |            |     |         |
| TITITING ALL A DI. A   |    | 20  |            |     |         |
| VERNONIA Noveboracensis (from Weed). 3 to 5 ft.; purple flowers in small heads, VIOLA Canadens's. White and purple flowers,  |    | 75  | 4 (        | 00  |         |
| VIOLA Canadens's. White and purple flowers,  |    | 75  | 4 (        |     |         |
| English Violet Czar. Hardy double; very sweet,   |    |     | Ŧ (        | ,0  |         |
| California Violet.   | 1  |     |            |     |         |
| pubescens. Flowers yellow; dry soils. Coll.,   |    | 00  | 4 (        | 00  |         |
| rotundifolia. Flowers yellow; moist soils. Coll.,  |    | 75  | 4 (        |     |         |
| blanda (Sweet White Violet). Wet, open places,   |    | 75  | 4 (        |     |         |
| canina, var. sylvestris (Dog Violet)—  |    | , 0 | I (        | , 0 |         |
| Blue. Coll.,   |    | 50  | 2 (        | 00  | 10 00   |
| pedata (Bird's Foot Violet). Large blue  |    | 50  | 2          | , 0 | 10 00   |
| flowers; delights in a sandy soil; clumps,   | 1  | 00  | 4 (        | 00  |         |
| var. bicolor. Beautiful flowers,   |    | 00  | 4 (        |     |         |
| VINCA minor (Common Periwinkle). Nursery-grown,  |    | 75  | 4 (        |     | 25 00   |
| var. alba. Pure white flowers; fine,   |    | 75  | 4 (        |     | 20 00   |
| Tar. airas Tare Marce nomere, and,   |    |     | <b>x</b> ( | , 0 |         |

#### BOG AND AQUATIC PLANTS.

|  | 12         | 100    | 1,000   |
|--|------------|--------|---------|
| ACORUS Calamus (Sweet Flag). 2 ft. Coll.,                  | \$0.75     | \$3 00 | \$15 00 |
| variegatus. Leaves striped with white, .                   | 1 25       | "      |         |
| BRASENIA peltata. Small floating leaves; water. Coll.      | 75         | 3 00   | 15 00   |
| CALLA palustris (American Calla). Fine for bog. Coll.,     | 50         | 2 00   |         |
| CALTHA palustris. Large yellow flowers, bog or             |            |        |         |
| garden,  | 75         | 3 00   |         |
| DIONÆA muscipula (Venus' Fly Trap). Flowers white,         | 1 00       | 4 00   |         |
| DROSERA filiformis (Thread-Leaved Sundew). Neat.           | 50         | 3 00   |         |
| longifolia. Small white flowers; bog,                      | 50         | 3 00   |         |
| rotundifolia. Round leaves; bog,                           | 50         | 3 00   |         |
| HELONIAS bullata (Stud Flower). Beautiful pink flowers,    | 1 00       | 5 00   |         |
| flowers,   | 1 00       | 5 00   |         |
| Water. Coll.,  | 75         | 4 00   |         |
| MENYANTHES trifoliata (Buck Bean). Coll.,                  | 50         | 3 00   | 15 00   |
| NASTURTIUM officinale (True Water Cress). Coll.,           | 50         | 2 00   | 10 00   |
| NESÆA verticillata. A fine water shrub. Coll.              | 1 00       | 4 00   | 15 00   |
| NUPHAR advena (Common Yellow Lily). Large roots.           | 1 00       | 1 00   | 10 00   |
| Coll.,   | 1 00       | 5 00   |         |
| NYMPHÆA odorata (White Water Lily). Large roots.           | 1 00       | 0 00   |         |
| Coll.,   | 1 00       | 5 00   | 30 00   |
| minor. Smaller flowers. Coll.,                             | 1 00       | 5 00   |         |
| ORONTIUM aquaticum. Small plants, velvety leaves.          |            |        |         |
| Coll.,   | 75         | 4 00   |         |
| PELTANDRA Virginica (Water Arum). A fine water             |            |        |         |
| plant,   | 1 00       | 5 00   |         |
| PONTEDERIA cordata. Spikes of blue flowers in water.       |            |        |         |
| Coll.,   | 1 00       | 5 00   |         |
| SARRACENIA purpurea (Pitcher Plant). Red flowers.          |            |        |         |
| Coll.,   | 75         | 3 00   | 14 00   |
| flava (Trumpet Leaf). Flowers yellow,                      |            | * 00   |         |
| large plants,  | 1 00       | 5 00   |         |
| Drummondii. Flowers purple; leaves 1                       | 0.00       | 10.00  |         |
| to 2 ft.,  | 2 00       | 10 00  |         |
| Psittacina (Parrot-Beaked Pitcher Plant).                  | 2 00       | 10 00  |         |
| Flowers purple,  | 2 00       | 10 00  |         |
| rubra (Red-Flowered Trumpet Leaf).                         | 1 50       | 6 00   |         |
| Fine, clumps,  | 1 90       | 0 00   |         |
| variolaris. Spotted-leaved; flowers                        | 1 50       | 6 00   |         |
| yellow,<br>TYPHA latifolia (Cat-Tail). 2 to 4 feet. Coll., | 1 50<br>75 | 4 00   |         |
| VACCINIUM macrocarpon (American Cranberry).                | 10         | 1 00   |         |
| Coll.,   | 25         | 1 50   | 5 00    |
| COII.,   |            | 1 00   |         |

#### SHRUBS DESIRABLE FOR THE BOG GARDEN.

Andromeda polifolia. 1 ft.

Azalea viscosa. 4 to 10 ft.

Cassandra calyculata. 1 ft.

Cephalanthus occidentalis. 4 ft.

Ilex verticillata. 3 ft.

Kalmia angustifolia. 1 ft.


glauca. 2 ft.

Ledum latifolium. 2 ft.
Nemopanthes Canadensis. 4 ft.
Nesæa verticillata. 2 ft.
Pyrus arbutifolia. 5 ft.
Rhodora Canadensis. 1 ft.
Vaccinium stramineum. 3 ft.
corymbosum. 5 to 10 ft.

#### ORCHIDS.

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

|   |     | 12             | 100    | -,      |
|---|-----|----------------|--------|---------|
| Aplectrum hyemale. Fine for moist shades,   | 81  | 00             | \$5 00 | )       |
| Calopogon pulchellus. Desirable for the bog. Coll., .   |     | 50             | 3 0    | 0       |
| Calypso borealis. Showy pink flowers; damp shades.  |     |                |        |         |
| Coll.,  |     | 00             | 5 0    | 0       |
| Cypripedium acaule (Red Lady Slipper). Dry shades,  | 1   | 00             | 5 0    | )       |
| Californicum,   | 3   | 00             | 15 0   | 0       |
| candidum,   | 2   | 00             | 10 0   | 0       |
| fasciculatum,   | 3   | 00             | 15 0   | )       |
| montanum,   | 1   | 50             | 6 0    | 0       |
| pubescens (Large Yellow). Fine,   | 1   | 50             | 7 00   | )       |
| spectabile—   |     |                |        |         |
| 1-4 crown,  | 2   | 00             | 8 0    | 0       |
| 4-6 crown, X,   | . 3 | 00             | 12 0   | 0       |
| 6-8 crown, XX,  |     | 00             |        |         |
| Goodyera Menziesii. Flowers white, leaves spotted.  |     |                |        |         |
| Coll.,  |     | 00             | 5 0    | )       |
| pubescens. Good stock. Coll,  | _   | 50             | 3 0    | 815 00  |
| repens,   | 1   | 00             |        | 9.0 00  |
| Habenaria blepharioglottis (White-Fringed Orchid),  |     | 50             |        |         |
| ciliaris. Beautifully fringed; yellow,  | 5   | 00             |        |         |
| dilatata. White,  | -   | 25             | 5 0    | )       |
| Hookeri. Flowers greenish,  |     | $\frac{1}{25}$ | 5 0    | -       |
| psychodes. Purple fringed,  | 1   | 25             | 6 0    |         |
| Liparis liliifolia. 4 in. Purplish flowers; moist shades,   |     | 75             | 4 0    |         |
| Læselii. Flowers greenish yellow; wet soils,  |     | 75             | 4 0    |         |
|   | . 1 | 00             | 5 0    |         |
| Orchis spectabilis (Showy Orchid). Pink-purple flowers, Pogonia ophioglossoides. A bog plant with pale rose | 1   | 00             | 9 0    | ,       |
|   |     | 75             | 4 0    | 0 15 00 |
| flowers,  |     | 50             | 3 0    |         |
| Spiranthes cernua (Ladies' Tresses). Flowers white, .   |     | 50             | 5 0    | ,       |
|   |     |                |        |         |



FERN BOWER AT THE GILLETT NURSERIES.

#### FERNS.

The Ferns of New England are among the most charming of our hardy perennials. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees, where flowers will not thrive, try a few ferns and note the change—You can select from my list of about 40 kinds those suited for almost any situation that will sustain plant life.

|  | 12     | 100    | 1,000   |
|--|--------|--------|---------|
| Adiantum pedatum (Maidenhair). Graceful; clumps, .   | \$0.75 | \$4 00 | \$25 00 |
| Aspidium acrostichoides (Christmas Fern). Evergreen, | 50     | 3 00   | 15 00   |

| Aspidium aculatum, var. Braunii. Evergreen. 1 to 2 ft., Boottii. Intermediate between A. cristatum and A. spinulosum,  |  | 12    | 100   | 1,000   |
|--|--|-------|-------|---------|
| ## Boottii. Intermediate between A. cristatum and A. spinulosum,   | Aspidium aculatum, var. Braunii, Evergreen 1 to 2 ft |       |       | 1,000   |
| and A. spinulosum,   | Boottii. Intermediate between A cristatum            | φ1 20 | φυ υυ |         |
| cristatum. A low evergreen; moist shades,       75       4 00         var. Clintonianum.       Much larger,       1 00       5 00         Filix-mas (Male Fern). Beautiful and rare,       1 25       7 00         Goldianum.       Broad, light green fronds. 2 to         4 ft.,       1 25       7 00         marginale. Dark evergreen; rocky places,       75       3 00       \$15 0         munitum.       An evergreen from Oregon,       1 50       7 00         Noveboracense. Moist, shady places,       75       4 00       15 0         spinulosum.       A finely cut evergreen       75       4 00       20 0         spinulosum.       Var. open places.       1 ft.,       75       4 00       15 0         Thelypteris.       Wet, open places.       1 ft.,       75       4 00       15 0         Asplenium angustifolium.       Rich shades.       1 to 3 ft.,       1 00       4 00         ebeneum.       Rocky places; dark stripes.       6       50       3 00       15 0         Filix-feemina.       Fine tall fern; easily grown,       75       4 00       15 0  |  | 1 25  | 6.00  |         |
| var. Clintonianum. Much larger,  | cristatum. A low evergreen; moist shades.            |       |       |         |
| Filix-mas (Male Fern). Beautiful and rare, Goldianum. Broad, light green fronds. 2 to  4 ft.,  | var. Clintonianum. Much larger.                      |       |       |         |
| Goldianum. Broad, light green fronds. 2 to 4 ft.,  | Filix-mas (Male Fern). Beautiful and rare.           | 1 25  | 7 00  |         |
| ## 4 ft.,  | Goldianum. Broad, light green fronds. 2 to           |       |       |         |
| marginale.       Dark evergreen; rocky places, munitum.       75       3 00       \$15 0         Noveboracense.       Moist, shady places, spinulosum.       75       4 00       15 0         spinulosum.       A finely cut evergreen spinulosum, var.       75       4 00       20 0         spinulosum, var.       Broad fronds, spinulosum, var.       1 25       7 00         Thelypteris.       Wet, open places.       1 tt., spinulosum, spinulosum.       75       4 00       15 0         Asplenium angustifolium.       Rich shades.       1 to 3 ft., spinulosum.       1 00       4 00       15 0         ebeneum.       Rocky places; dark stripes.       6       50       3 00       15 0         Filix=fœmina.       Fine tall fern; easily grown, Ruta-muraria.       Limestone cliffs, spinulosum, s   | 4 ft.,   | 1 25  | 7 00  |         |
| munitum. An evergreen from Oregon,       1 50       7 00         Noveboracense. Moist, shady places,       75       4 00       15 0         spinulosum. A finely cut evergreen       75       4 00       20 0         spinulosum, var. dilatatum. Broad fronds,       1 25       7 00         Thelypteris. Wet, open places. 1 ft.,       75       4 00       15 0         Asplenium angustifolium. Rich shades. 1 to 3 ft.,       1 00       4 00         ebeneum. Rocky places; dark stripes.       6       50       3 00       15 0         Filix-fœmina. Fine tall fern; easily grown,       75       4 00       15 0         Ruta-muraria. Limestone cliffs,       1 25       1 25         thelypteroides,       75       4 00         Trichomanes. Evergreen; in tufts. 3 to   | marginale. Dark evergreen; rocky places, .           | 75    | 3 00  | \$15 00 |
| spinulosum. A finely cut evergreen       75       4 00       20 0         spinulosum, var. dilatatum. Broad fronds, Thelypteris. Wet, open places. 1 ft.,       1 25       7 00       15 0         Asplenium angustifolium. Rich shades. 1 to 3 ft., ebeneum. Rocky places; dark stripes. 6       1 00       4 00       15 0         Filix-feemina. Fine tall fern; easily grown, Ruta-muraria. Limestone cliffs, Ruta-muraria. Limestone cliffs, Spinulos, Sp | munitum. An evergreen from Oregon,                   | 1 50  | 7 00  |         |
| spinulosum, var. dilatatum. Broad fronds,       1 25       7 00         Thelypteris. Wet, open places. 1 ft.,       1 25       7 00         Asplenium angustifolium. Rich shades. 1 to 3 ft.,       1 00       4 00         ebeneum. Rocky places; dark stripes. 6         to 12 in.,       50       3 00       15 0         Filix-feemina. Fine tall fern; easily grown,       75       4 00       15 0         Ruta-muraria. Limestone cliffs,       1 25         thelypteroides,       50       3 00       15 0         Trichomanes. Evergreen; in tufts. 3 to  | Noveboracense. Moist, shady places,                  | 75    | 4 00  | 15 00   |
| Thelypteris. Wet, open places. 1 ft.,  | spinulosum. A finely cut evergreen                   | 75    | 4 00  | 20 00   |
| Thelypteris. Wet, open places. 1 ft.,  | spinulosum, var. dilatatum. Broad fronds,            | 1 25  | 7 00  |         |
| ebeneum.       Rocky places; dark stripes.       6         to 12 in.,       .       .       50       3 00       15 0         Filix-femina.       Fine tall fern; easily grown,       75       4 00       15 0         Ruta-muraria.       Limestone cliffs,       .       1 25         thelypteroides,       .       .       .       75       4 00         Trichomanes.       Evergreen; in tufts.       3 to  | Thelypteris. Wet, open places. 1 ft.,                | 75    | 4 00  | 15 00   |
| ebeneum.       Rocky places; dark stripes.       6         to 12 in.,       .       .       50       3 00       15 0         Filix-fœmina.       Fine tall fern; easily grown,       75       4 00       15 0         Ruta-muraria.       Limestone cliffs,       .       1 25         thelypteroides,       .       .       .       75       4 00         Trichomanes.       Evergreen; in tufts.       3 to  | Asplenium angustifolium. Rich shades. 1 to 3 ft      | 1.00  | 4 00  |         |
| to 12 in., Filix-feemina. Fine tall fern; easily grown, Ruta-muraria. Limestone cliffs,  |  |       | - 00  |         |
| Filix=fæmina. Fine tall fern; easily grown, 75 4 00 15 0 Ruta=muraria. Limestone cliffs, 1 25 thelypteroides,  | to 12 in.,   | 50    | 3 00  | 15 00   |
| Ruta-muraria. Limestone cliffs, 1 25 thelypteroides,   | Filix-fæmina. Fine tall fern: easily grown.          | 75    | 4 00  | 15 00   |
| thelypteroides,  |  | 1 25  |       |         |
| Trichomanes. Evergreen; in tufts. 3 to   |  |       | 4 00  |         |
|  |  |       |       |         |
|  | 6 in.,   | 50    | 3 00  |         |



A shady corner of about 25 square feet planted with the following hardy ferns, 4 doz. 4 Asplenium Felix—foemina, 2 ft. 2 A. angustifolium, 1½ ft. 3 Aspldium spinulosum, 1½ ft. 4 A. acrostichoides, 1 ft. 1 A. cristatum, 1 ft. 2 A. cristatum clintonianum, 1½ ft. 3 Woodsia obtusa, 1 ft. 10 Adiantum pedatum, 1 ft. 8 Cystopteris bulbifera, 1 ft. 3 Asplenium ebeneum, 8 in. 3 A. Trichomanes, 4 in. 3 Phegopteris hexagonoptera, 8 in. 2 Polypodium vulgare, 4 in. \$3.00.

| Botrychium ternatum dissectum. Fine cut leaves.             |      |        |         |
|---|------|--------|---------|
| Coll.,  | \$75 | \$4 00 |         |
| obliquem. Oblique-Leaved. Coll., .                          | 75   | 4 00   |         |
| Virginicum. Light green; shades, 6 to                       |      |        |         |
| 12 in.,   | 75   | 4 00   |         |
| Camptosorus rhizophyllus (Walking Leaf). Fine .             | 50   | 3 00   | \$15 00 |
| Cheilanthes vestata. Evergreen. South. 2 to 12 in.,         | 1 00 | 4 00   |         |
| Cryptogramma acrostichoides. Fine clumps. 4 to 8 in.,       | 1 25 | 5 00   |         |
| Cystopteris bulbifera. Bright green fern; moist soil,       | 50   | 3 00   |         |
| fragilis. Finely cut fronds; rocks, .                       | 50   | 3 00   | 15 00   |
| Dicksonia punctilobula. Forms large patches; 2 to 3 ft.,    | 75   | 3 00   | 12 00   |
| Lygodium palmatum (Climbing Fern). Climbing over            |      |        |         |
| bushes. 1 to 3 ft., Coll.,                                  | 1 25 | 5 00   |         |
| Onoclea sensibilis (Sensitive Fern). Wet soils. 1 to 2 ft., | 50   | 。3 00  | 15 00   |
| struthiopteris (Ostrich Fern). Fine. 1 to 6 ft.,            | 1 25 | 6 00   | 35 00   |
| Ophioglossum vulgatum (Adder's Tongue). Coll., .            | 75   | 4 00   |         |
| Osmunda gracilis (Flowering Fern). Large plants. Coll.,     | 1 25 | 6 00   |         |
| Claytoniana. Large clumps. 1 to 5 ft. Coll.,                | 1 25 | 6 00   |         |



CLUMP OF FERNS IN SHADY CORNER.

|  | 12     | 100    | 1,000   |
|--|--------|--------|---------|
| Osmunda cinnamomea (Cinnamon Fern)—                      |        |        |         |
|  | \$1 25 | \$6 00 |         |
| 1 to 6 ft. Coll.,  | 1 25   | 6 00   |         |
| densa (Oregon Cliff Brake). Clumps. Coll., .             | 1 00   | 5 00   |         |
| gracilis. Fine for rock garden. 2 to 6 in.,              | 1 00   | 5 00   |         |
| Phegopteris Dryopteris (Beech Fern). 6 to 10 in.; neat,  | 75     | 4 00   |         |
| hexagonoptera. Broad fronds, 7 to 12 in.,                | 75     | 4 00   |         |
| polypodoides. Smaller and darker. 4 to                   |        |        |         |
| 8 in.,   | 75     | 4 00   |         |
| Polypodium vulgare (Polypody). Evergreen, on rocks.      |        |        |         |
| 3 to 6 in.,  | 50     | 3 00   | \$15 00 |
| falcatum. From Oregon. Graceful. 6 to                    | 1 25   | 5 00   |         |
| 15 in.,  | 1 25   | 5 00   |         |
| Scolopendrium vulgare (Hart's Tongue) Very rare;         |        |        |         |
| clumps,  | 3 00   |        |         |
| Woodsia Ilvensis. Dry, exposed rocks; clumps,            | 1 00   | 5 00   |         |
| obtusa. Rocks, neat. 6 to 12 in.,                        | 75     | 4 00   |         |
| Oregana. Oregon. 2 to 8 in.,                             | 1 00   | 5 00   |         |
| Woodwardia angustifolia (Chain Fern). Wet soils;         |        |        |         |
| fine plants  | 1 00   | 4 00   |         |
| Virginica. Wet soils. 2 to 3 ft. Coll.,                  | 1 00   | 4 00   | 20 00   |
| ,g   |        |        |         |
|  |        |        |         |
|  |        |        |         |
|  |        |        |         |
| Clark Manager  |        |        |         |
| Club Mosses.   |        |        |         |
|  | 12     | 100    | 1,000   |
| Lygonodium dondroidum (Coound Dine) Head outer           | 12     | 100    | 1,000   |
| Lycopodium dendroidum (Ground Pine). Used exten-         |        |        |         |
| sively as Christmas green. 4 to 8 in.                    | å1 o≈  | 00.00  |         |
| Coll.,   | \$1 25 | \$6 00 |         |
| lucidulum (Shining Club Moss). 3 to 8 in.                |        | 0.00   | #1F 00  |
| Coll.,   | 75     | 3 00   | \$15 00 |
| Selaginella apus. Light green creeper; wet soils. Coll., | 50     | 3 00   | 15 00   |
| rupestris. Little tufts, dry soils. 1 to 3 in.           |        | 4 00   |         |
| Coll.,   | 75     | 4 00   |         |

## SPECIAL COLLECTION OF FERNS.

The following collections of Ferns are made up to help in selecting for special wants, and should go by express or freight.

#### No. 1.—(\$3.00) For Open Sun Culture.

This collection is desirable for the open border and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

- 6 Onoclea struthiopteris
- 24 Dicksonia punctilobula,
- 6 Osmunda Claytoniana,
- 6 Lygodium palmatum.

#### No. 2.—(\$3.00) For Dry, Shady Places.

The e Ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

- 12 Aspidium acrostichoides,
- 12 Dicksonia punctilobula,
- 12 Aspidium marginale,
- 12 Osmunda Claytoniana.

#### No. 3.—(\$3.00) For Moist, Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

- 6 Adiantum pedatum,
- 6 Asplenium thelypteroides,
- 6 Aspidium cristatum,
- 6 Asplenium Filix-fæmina.
- 6 Aspidium acrostichoides,
- 6 Phegopteris hexagonoptera,
- 6 Aspidium spinulosum,6 Aspidium marginale,
- 6 Woodwardia angustifolia.

### No. 4.—(\$3.00) For Wet, Open Ground.

These Ferns are very useful for border of a lake or low, wet ground.

- 12 Aspidium Thelypteris,
- 12 Osmunda regalis,
- 12 Onoclea sensibilis,
- 12 Woodwardia Virginica.

#### No. 5.- (\$3.00.) Low Evergreen Ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

12 Asplenium ebeneum,

- 12 Polypodium vulgare,
- 12 Asplenium Trichomanes,
- 6 Woodsia obtusa.
- 12 Comptosorus rhizophyllus,

#### No. 6.—(\$3.00) Low Evergreen Ferns for Dry, Rocky Ledge.

- 12 Asplenium Trichomanes,
- 12 Polypodium valgare,
- 12 Cheilanthes vestata,
- 12 Woodsia Ilvensis.

#### One-Half Any One of the Above Collections for \$1.75.

You will notice that some kinds are named in more than one collection. Such seem to thrive equally well in the localities named.

Address,

#### EDWARD GILLETT,

Southwick, Mass., U. S. A.